



भाकृअनुप - केन्द्रीय बारानी कृषि अनुसन्धान संस्थान
ICAR - Central Research Institute for Dryland Agriculture

संतोषनगर, सैदाबाद -पोस्ट हैदराबाद ५०००९ Santoshnagar, Saidabad P.O. Hyderabad 500 059
040-24530161, 24530224 Fax: 040-24531802 <http://www.icar-crida.res.in/> Email : store.crida@icar.gov.in



F. No: 2-1/(52)/2019-20/SP

NOTICE INVITING TENDER

On behalf of the Director, ICAR-CRIDA invites **e-Tenders** under Two Bid System (Technical and Financial separately) for **Supply of UV VIS Spectrophotometer**

TERMS & CONDITIONS

1. **Submission:** Only bids received on e-procurement portal will only be considered for opening. Manual bids shall not be accepted.
2. **Download of Tender Document:** Tender Document with full details can be downloaded from CRIDA Website (<http://www.icar-crida.res.in/>) or the Government of India, Central Public Procurement Portal (<http://www.eprocure.gov.in>) and in such cases, participation in the tender will be subject to remittance of the prescribed Bid Security along with the Technical and financial Bids (BOQ).
3. **Tender ID:** Shall be notified on the website (<http://www.icar-crida.res.in/>)
4. Suppliers who desire to participate in such tenders in future may bring it to the notice of Procuring Entity and may register in CPPP through DSC
5. The bidders should have a valid registration of the firm with GOI/any state govt.
6. This institute will not be responsible for any delay in enrollment or submission of the offer/uploading the offer on above mentioned e-procurement portal for any reason whatsoever. Hence vendors are advised to register in the e-procurement website <https://eprocure.gov.in> & enroll their Digital Signature Certificate (Class - II or above) and upload their quotations well in advance to avoid last minute problems.
7. **Bid Security:** Bid Security (**also known as Earnest Money**) is to be deposited by all the bidders except Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or registered with the Central Purchase Organization **18,000/- (Rupees eighteen Thousand only)** along with their bids. The bid security will be accepted in the form of Demand Draft, Fixed Deposit Receipt, Banker's cheque. The bid security is normally to remain valid for a period of forty-five days beyond the final bid validity period. Bid securities of the unsuccessful bidders shall be returned. **Original EMD must be delivered to CRIDA on or before last date /time of bid submission without which the bids will not be considered.**
8. **Performance Security:** The successful bidder is required to pay an amount equal to 10% of successful bid amount towards performance security deposit and the same will be released within one month from the date of expiry all contractual Obligations. No interest shall be paid on such Performance security deposit. Performance Security should remain valid for a period of sixty days beyond the date of completion of all contractual obligations. The Performance Security Deposit should be in the form of Demand Draft, Fixed Deposit Receipt, Banker's Cheque or Bank Guarantee from any of the Commercial Banks or payment online in an acceptable form and on which no interest will be paid.
9. **Delivery Schedule:** Unless otherwise specified, No 'part supply' is allowed. Specific mention should be made as to whether delivery will be from ready stock or will have to be imported / acquired and in the latter case the time required for delivery after purchase order is placed should be indicated clearly.
10. **Payment:** No advance payment is permissible. Payment will be made only after supply of equipment" is accepted by the indenter after successful, installation and commissioning of the equipment. Our normal payment terms are within 30 (thirty) days on receipt and acceptance of material at our site in good condition.
11. **Place of delivery:** Supply is to be done at Central Research Institute of Dry Land Agriculture, Hyderabad, Telangana.
12. **Installation:** Installation is to be done at Central Research Institute of Dry Land Agriculture, Hyderabad, Telangana.
13. **Shipment:** Supply is to be made securely packed at supplier's risk and transportation.
14. Attested copies of Document regarding registration /Certificate of incorporation of the firm issued by the appropriate government to be enclosed
15. **DSIR Certificate:** This Institute is exempted from payment of Customs charges Vide Govt. of India, Ministry of Science and Technology, Dept. of Scientific and Industrial Research, vide Letter No. **TU/V/RG-CDE (372)/2016, dated 18-10-2016 (Valid up to 31-08-2021).**
16. Manufacturer's name and country of origin of materials offered must be clearly specified. Please quote whether your organization is large scale industry or small scale industry. If you have NSIC/MSME/MSI/DGS&D Certificate, please attach it to the quotation. Mention your registration details.
17. Make/brand of the item shall be stated wherever applicable.
18. **Price quote:** The price quoted should be in **INR** only inclusive of all taxes

19. All supplies are subject to inspection and approval before acceptance. Manufacturer/ supplier warranty certificates and manufacturer/Government approved lab test certificate shall be furnished along with the supply, wherever applicable.
20. The Director of the institute reserves the right to modify the quantity specified in this enquiry. The prices quoted should be firm till the supplies are completed. Please quote the rates in words and figures. Rates quoted should be inclusive of all transportation, installation and commissioning of the supply and any other charges. Prices quoted for free delivery at destination will be given preference. If there is no indication regarding the FOR, in the quotation, then it will be considered as FOR destinations. Price quoted should be net and valid for a minimum **120 days** from the date of opening of the quotation.
21. No part supply is accepted. Guarantee/Warranty/Expiry period should clearly indicated
22. Payment of GST is primarily the responsibility of the seller and will not be paid unless the percentage value is clearly mentioned in the quotations. If no indication regarding CGST/SGST is recorded in the quotation, the CGST/SGST will be considered as included
23. Delivery period required for supplying the material should be invariably specified in the quotation. Technical specification should be clearly indicated.
24. **Acceptance of tender:** Director, CRIDA reserves the right to accept or reject any/all of the tenders either in part or in full without assigning any reason thereof.
25. **Specifications:** Full specifications of the item quoted should be indicated in the tender along with illustrated pamphlets, drawings/technical broucher etc. wherever available. The supplier has to submit the compliance statement on the technical specifications in the prescribed format enclosed to this schedule.
26. **Service support and warranty:** The warranty requirement for this equipment shall be minimum of 12 months from date of satisfactory installation and commissioning. In the event of the equipment requiring any rectifications, the warranty will start from date of successful rectification.
27. If the deliveries are not maintained and due to that account Procuring Entity is forced to buy the material at your risk and cost from elsewhere, the loss or damage that may be sustained there by will be recovered from the defaulting supplier.
28. **Penalty clause:** In case your quotation is accepted and order is placed on you, the supply against the order should be made completely within the period stipulated in the order. The Government of India reserves the right to recover any loss sustained due to delayed delivery by way of penalty. Failure to supply the material within the stipulated period shall entitle Procuring Entity for the imposition of penalty without assigning any reasons @ 1/2% (half percent) of the total value of the item covered in order as penalty per day subject to a maximum of 5% (five percent) unless extension is obtained in writing from the office on valid ground before expiry of delivery period.
29. **Dispute clause:** Any dispute relating to the enquiry shall be subject to the jurisdiction of the court at Hyderabad only
30. Damaged items with missing accessories will not be accepted by this institute.
31. Any Supplier found to have cheated by supplying old items/equipments and defaulted in supplying store items even on extended time limit without reasonable grounds, will be liable for blacklisting besides imposition of penalty to the tune ICAR Unit may deem fit.
32. The tender document should invariably be filled in and duly signed by the authorized signatory by affixing the company/firm seal on every page of tender and the terms and conditions should strictly be followed before submitting the tender.
33. Quotation which does not conform to the above terms and conditions will not be considered. The Director, Central Research Institute for Dry land Agriculture, reserves the right to accept or reject any or all quotations without assigning any reasons thereof
34. The firm should give the complete information in technical bid whether the quoted amount in financial bid includes optional items are not.

Yours Sincerely


Stores and Purchase Officer

Qualifying criteria

Give page numbers to the tender document, all enclosures and also verify the following documents before submission of the tender in the sequence listed below, to avoid rejection or disqualification of your tender.

S.No.	List of the Documents to be Submitted with the Tender	Page No.	Yes/No
1.	The entire original tender document with seal and signature on each page		
2.	Bid Security copy.		
3.	Name of the firm, Full address with Post Box No. and Telephone No. if any: Attested copies of Document regarding firm registration /Certificate of incorporation of the firm issued by the appropriate government to be enclosed.		
4	Tender acceptance letter to be filled by bidder on firm/Company Letter Head.		
5	Technical specifications for the quoted product/technical literature (brochure) of the product quoted		
6	Compliance statement of the Technical Specifications of the equipment quoted		
7	Satisfactory completion certificates/Attested copies of past Two years experience Of OEM for authorized sales /service of UV VIS Spectrophotometer		
8	Document showing the firm/company's turnover per annum of minimum 2 financial years out of 2016-17, 2017-18 & 2018-19, Certified by the Chartered Accountant.		
9	The firm should submit Income Tax returns of minimum 2 FY out of 2016-17, 2017-18 & 2018-19.		
10	GST registration Certificate of the firm		
11	MSME/NSIC/SSI certificates registered with NSIC (if applicable) to be enclosed		
TOTAL NUMBER OF PAGES _____			

Certified that the above information is correct and the firm is willing to accept all the terms and conditions of the tender document.

Signature and Seal of the Bidder: _____

Business Address: _____

Tender Acceptance Letter
(To be filled by bidder on firm/Company Letter Head)

To
The Director
Central Research Institute for Dry Land Agriculture

Sub: Acceptance of Terms & Conditions of Tender.
Tender Reference No: _____
Name of Tender/Work: _____

Dear Sir,

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the _____ web _____ site(s) namely: _____ as per your advertisement, given in the above mentioned website(s).
2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No. _____ to _____ (including all documents like annexure(s), schedule(s), etc.), which will form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/ organizations related to this tender too have also been taken into consideration, while submitting this acceptance letter.
4. I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality / entirety.
5. I / We do hereby declare that our firm/company has not been blacklisted /debarred by any Govt. Department/Public Sector undertaking.
6. I / We certify that all information furnished by the our firm/company is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,
(Signature of the Bidder, with Official Seal)

Revised Specifications for UV-VIS Spectrophotometer

Optical conditions required: Split beam type or superior, double beam optics with provision for photometric. Spectrum, multi component, time scan, data processing, with automatic/motorized 8 cell changer

Cuvette changer: 8 x 10mm cuvette changer

Scan speed: Scan speed should be in Selectable scan speed or superior

Wave length range: 180-1100 nm (or) superior

Wavelength accuracy: ± 0.1 nm or superior

Photometric range : -0.3-3Abs or superior

Spectral bandwidth: 1- 2nm or superior

Photometric accuracy: The photometric accuracy should be around $\pm 0.002A$ (0-0.5A), 0.004A (0.5-1A) 0.3% T (0-100% T) or superior. The **Photometric reproducibility should not be deviate more than half values of the photometric accuracy.**

Photometric mode: Transmittance (T%), Absorbance (A%), Energy (E), Reflectance (%) (or) superior

Noise level: 0.00003 Abs

Base line flatness: ± 0.0003 Abs

Baseline stability : Within 0.0002 Abs/h

Wavelength reproducibility: ≤ 0.4 nm or superior

Data Storage capacity : 100 samples-Data storage capacity

Wavelength setting: 0.1-0.2nm increments

Stray light provisions should be: ≤ 0.02 to 1.0 % NaI at 220nm or 340nm NaNO_2 or less than 1.0% KCl at 198-200nm or superior

Detector and Light source: Silicon photo diode array or Xenon lamp, Tungsten Halogen and Deuterium arc lamps or superior

Calculation of unknown sample concentration, using best fit curve (Selectable among direct, Linear or Quadratic).

Voltage fluctuation controller: Built in or external stabilizer with Surge suppressor as per BIS specifications.

Display: Must have Digital LCD/LED Display mechanism

System should support computer PC (1 TB HDD and 8 GB DDR4 with I-7 processor RAM) and Printer, and compatible to PC interface, hence quote along with compatible good quality branded PC with UPS for 30 minutes backup, and HP Laser black and white printer.

Software support: System should be suitable stand alone and with PC

Power supply (compatible to Indian voltage system): Switch mode 95- 250 VAC, 50 – 60 Hz Instrument should be of high quality, standard make rugged and durable. User list of the same product, service support, infrastructure, suitable warranty, operational manual, original software for the instrument, one pair of glass and one pair of quartzes cuvettes. Compatible voltage stabilizer separately for protecting the instrument from voltage fluctuation. Other suitable essential items / accessories required for successful installation, demonstration and functioning of the unit.

Optional Accessories

- **Quartz Cuvettes:** 8 numbers are required
- Computer PC (1 TB HDD and 8 GB RAM) and compatible to PC interface with UPS for 30 minutes backup, and HP Laser black and white printer.
- Compatible voltage stabilizer separately for protecting the instrument