



Bid Number: GEM/2022/B/1976620 Dated: 22-02-2022

# **Bid Document**

Bid Details			
Bid End Date/Time	04-03-2022 13:00:00		
Bid Opening Date/Time	04-03-2022 13:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	70 (Days)		
Ministry/State Name	Ministry Of Agriculture And Farmers Welfare		
Department Name	Department Of Agricultural Research And Education (dare)		
Organisation Name	Indian Council Of Agricultural Research (icar)		
Office Name	Central Research Institute For Dryland Agriculture		
Total Quantity	41		
Item Category	Executive Table (Q3) , Centre Table (Q3) , Steel Bookcases- IS:7761 (Q3) , Revolving Chair (Q3) , Almirah Steel-IS:3312 (Q3) , Steel Filing Cabinets (Q3) , Chairs-Office- IS 3499 (Q3) , Steel Tables-IS: 8126 (Q3) , Sofas (Q3) , Computer Table (Q3)		
MSE Exemption for Years of Experience and Turnover	Νο		
Startup Exemption for Years of Experience and Turnover	Νο		
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled	Νο		
Primary product category	Sofas		
Time allowed for Technical Clarifications during technical evaluation	2 Days		
Evaluation Method	Total value wise evaluation		
	,		

#### EMD Detail

Required

No

#### ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00

Duration of ePBG required (Months).	14
-------------------------------------	----

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### **Beneficiary:**

#### DIRECTOR

Central Research Institute For Dryland Agriculture, Department of Agricultural Research and Education (DARE), Indian Council of Agricultural Research (ICAR), Ministry of Agriculture and Farmers Welfare (Director Icar-crida)

#### Splitting

Bid splitting not applied.

#### **MII Purchase Preference**

MII Purchase Preference	Yes

#### **MSE Purchase Preference**

MSE Purchase Preference

Yes

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises vill be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

### Executive Table (3 pieces)

#### (Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Registered Brand
------------	------------------

### **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Storage provided	One side
	Keyboard tray	Provided
	Foot rest	Not Provided
MATERIAL	Table top Material	Commercial Block Board MR Grade Conforming to IS 1659
	Gable end and modesty panel material	Commercial Block Board BWP grade Conforming to IS 1659
	Leg Material	NO LEGS
DIMENSION	Thickness of table top ±2 mm	19.0
	Length of table top ±10 mm	1500.0
	Depth of table ±10 mm	850.0
	Height of table ±10 mm	750.0
	Dimension of leg(mmXmm) ±5mm	No legs
STORAGE UNIT	Number of Storage unit provided	Single storage
FOOTREST	Material thickness of footrest ±2mm	N.A
WARRANTY	Warrantee period in number of years	2
CERTIFICATION	Product having BIFMA certification	ΝΟ
	OEM of offered product is ISO 9001:2015 certified	NO
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	NO

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V Sanu	500059,ICAR- CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE Santosh Nagar Saidabad Hyderabad	3	15

# Centre Table ( 5 pieces )

# (Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type

**Registered Brand** 

### **Technical Specifications**

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Number of storage under top	No storage
MATERIAL	Top material	Flat glass
	Frame material	Other wood
DIMENSION & THICKNESS	Dimension of Top (length X Breadth) ±20mm	1194mmX584mm
	Height of centre table ±10 mm	430.0
	Thickness of top material (+/-2 mm)	18.0
	Thickness of frame material (+/- 1 mm)	36.0
WARRANTY	Warranty period in number of years	1

S.N	o. Consignee/Report ng Officer	Address	Quantity	Delivery Days
1	V Sanu	500059,ICAR- CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE Santosh Nagar Saidabad Hyderabad	5	15

# Steel Bookcases-IS:7761 ( 3 pieces )

### (Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand	Туре
-------	------

**Registered Brand** 

#### **Technical Specifications**

#### \* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Type of lock	cam lever lock with common key
	Number of Doors (NOS)	4
MATERIAL	Thickness of MS Sheet used for Top, Bottom, Back and Sides in mm	0.7
DIMENSION	Height of Steel Bookcase in mm (± 10 mm)	1742
	Width of Steel Bookcase in mm (±5 mm)	914
	Depth of Steel Bookcase in mm (± 3 mm)	305 mm
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certified	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V Sanu	500059,ICAR- CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE Santosh Nagar Saidabad Hyderabad	3	15

# Revolving Chair ( 5 pieces )

# (Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type

**Registered Brand** 

### **Technical Specifications**

Specification Specification Name		Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	steel covered with polyurethane
	seat material	PU Foam covered with Fabric
	Material of Fabric Back Cover / Material for Backrest	100% polyester fabric
	Material of Fabric of Seat Cover	100% polyester fabric
GENERAL	Chair Type	central tilt synchronic
	Height Adjustment ± 5(mm)	up to 120 mm
	Arm	With
	Type of backrest support	backrest symmetrical lumber support
	Arm Type	Fixed
	Ergonomic Seat Design	Yes
	Back type	push back
	backrest has separate adjustable headrest	No
	Seat type	fixed
	Number of arm movement	N.A
	Lumber support	integrated
DIMENSION	Overall Chair Height ±15mm	1080
	Backrest Height ±15mm	690.0
	Backrest Width ±10mm	480.0
	Seat Height ±15 mm	520

Specification	Specification Name	Bid Requirement (Allowed Values)
	Seat Width ±10 mm	480
	Seat Depth ±10 mm	460.0
	Thickness of MS Plate Joining the under structure with Seat	0.2
	Thickness of Plywood used in Seat ±1(mm)	12 mm
	Thickness of Plywood used in Backrest ± 1(mm)	12 mm
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	30 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	30 mm
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	YES
	Aiota	YES

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V Sanu	500059,ICAR- CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE Santosh Nagar Saidabad Hyderabad	5	15

# Almirah Steel-IS:3312 ( 2 pieces )

### (Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

**Registered Brand** 

### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Material	M.S sheet conforming to commercial quality CR- 1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	Material of Almirah Doors	M S Sheet
	Sheet Thickness of Locker	0.8 mm
	Length of Glass Sheet (+/- 10 mm)	900 mm
	Width of Glass Sheet (+/- 10 mm)	N.A
	Sheet Thickness of door	0.8 mm (Minimum)
	Sheet Thickness of sides,back , Top and Bottom	0.8 mm (Minimum)
	Sheet Thickness of Shelves	0.8 mm
	Sheet Thickness of Pedestal in mm	0.8 mm (Minimum)
	Material of Lock	steel
	Material of Keys	steel
GENERIC	Conformity to Indian Standard IS:3312 latest	Yes
	No of shelves (Nos)	4
	Type of Shelves	Adjustable
	Locker Provided	Νο
	Locking System with the locker	NO
	Number of Doors (Nos)	2
	Door Stiffner upto full door height Provided with the almirah doors	Yes
	Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement	3
	Number of Glass Sheet fixed in each Almirah door (Nos)	N.A

Specification	Specification Name	Bid Requirement (Allowed Values)
	Construction	Knocked Down To Be Assembled At Consignee Site By The Seller
	Lock	Three Way bolting device controlled by lock
DIMENSION	Height (Without Pedestal) (in mm) (+/- 10 mm)	2000
	Width (+/- 7 mm)	910.0
	Depth (+/- 5 mm)	480.0
	Inside Height of Locker (+/- 5 mm)	N.A
	Inside Width of Locker (+/- 5 mm)	N.A
	Inside Depth of Locker (+/- 5 mm)	N.A
	Width of Stiffner (+/- 5 mm)	N.A
	Thickness of MS Sheet of Stiffner	N.A
	Stiffened Pedestal height in mm (±2 mm)	ΝΑ
	Pedestal Width in mm (±2 mm)	NA
COLOUR & FINISH	Finish	powder coated
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V Sanu	500059,ICAR- CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE Santosh Nagar Saidabad Hyderabad	2	15

# Steel Filing Cabinets ( 2 pieces )

#### (Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type

### Registered Brand

### **Technical Specifications**

\* As per GeM Category Specification

Specification Specification Name		Bid Requirement (Allowed Values)
GENERIC	Number of Drawer (NOS)	4
	Drawer suspension	Ball Slide (Not as per IS 3313)
	Lock	Provided
	Locking Mechanism	central locking machanism
	Movable with Wheels at bottom	Νο
	Loading Capacity of drawer in kg (+/- 2 Kg)	40, 50, 60, 70, 80, 90, 100, 120, 140, 160, 180, 200 Or higher
MATERIAL	Sheet Thickness of Side, Back, Top and bottom in mm (+/- 5%)	0.7, 0.8, 0.9, 1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2 Or higher
	Sheet Thickness of Filing Drawer in mm (+/- 5%)	0.6, 0.7, 0.8, 0.9, 1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2 Or higher
	Clutch compressor strip or Cradle strip	MS Sheet (Not as per IS 3313)
DIMENSION	Overall Height +/- 10(mm)	1300.0
	Width +/- 10 (mm)	475.0
	Depth +/- 10(mm)	600.0
	Height of smallest Drawer +/- 10(mm)	ALL DRAWERS EQUAL
	Height of medium Drawer +/- 10(mm)	ALL DRAWERS EQUAL
	Height of largest Drawer +/- 10(mm)	300 mm
COLOUR & FINISH	Finish	powder coated

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V Sanu	500059,ICAR- CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE Santosh Nagar Saidabad Hyderabad	2	15

# Revolving Chair ( 3 pieces )

### (Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type

**Registered Brand** 

#### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	aluminium covered with pu
	seat material	PU Foam covered with Fabric
	Material of Fabric Back Cover / Material for Backrest	Innner frame Upholstered with Mesh fabric and mounted on main assembly
	Material of Fabric of Seat Cover	100% polyester fabric
GENERAL	Chair Type	Advance Bio Synchronic
	Height Adjustment ± 5(mm)	up to 100 mm
	Arm	With
	Type of backrest support	Backrest With Adjustable Lumber Support
	Arm Type	Adjustable
	Ergonomic Seat Design	Yes
	Back type	push back
	backrest has separate adjustable headrest	Νο
	Seat type	sliding
	Number of arm movement	4(up & down end left & right)
	Lumber support	integrated
DIMENSION	Overall Chair Height ±15mm	1080
	Backrest Height ±15mm	600.0
	Backrest Width ±10mm	440.0
	Seat Height ±15 mm	450
	Seat Width ±10 mm	500
	Seat Depth ±10 mm	500.0
	Thickness of MS Plate Joining the under structure with Seat	2.0
	Thickness of Plywood used in Seat ±1(mm)	N.A

Specification	Specification Name	Bid Requirement (Allowed Values)
	Thickness of Plywood used in Backrest ± 1(mm)	N.A
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	50 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	YES
	Aiota	YES

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V Sanu	500059,ICAR- CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE Santosh Nagar Saidabad Hyderabad	3	15

# Chairs-Office- IS 3499 ( 3 pieces )

# (Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Registered Brand
------------	------------------

#### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	NOT APPLICABLE
	Material of Fabric Back Cover	polyster
	Frame Material	ERW pipe
	Material of Fabric of Seat Cover	fabric
	Thickness of Plywood used in Seat ±1(mm)	12 mm
	GSM/Thickness of Fabric ±5 (Gram per Sq Meter)	250 Gram per Sq Meter
	Arm Material	polypropelene
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	40 mm
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	50 mm
GENERIC	Chair Type	With Arms
GENERIC	Type of Seat and Backrest	Padded with Polyurethane Foam
	Frame Type	Cantilever
	Castors	Without
DIMENSION	Size of Material (mm)	2 mm thick 25 mm tube
	Chair Height ±15(mm)	890 mm
	Seat Depth ±10(mm)	450 mm
	Seat Width ±10 (mm)	470 mm
	Seat Height IN MM ±5(mm)	460
	Backrest Width ±10(mm)	480 mm
	Backrest Height ±10(mm)	550 mm
	Arm Length ±5(mm)	250 mm
	Arm Width ±2(mm)	50 mm
COLOUR & FINISH	Paint Type	powder coated on MS
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES

Specification	Specification Name	Bid Requirement (Allowed Values)
	OEM of offered product is ISO 18001:2007 certified	YES
WARRANTY	Warranty period in number of years	1

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V Sanu	500059,ICAR- CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE Santosh Nagar Saidabad Hyderabad	3	15

## Steel Tables-IS: 8126 ( 5 pieces )

# (Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type

Registered Brand

### **Technical Specifications**

Specification	Specification Name	Bid Requirement (Allowed Values)	
MATERIAL	Storage Unit and Drawer Units Material	0.8 mm M S sheet	
GENERIC	Storage	both side	
	Total Number of Storage Units	triple storage	
	Table Top Material and Thickness (+/-2 mm)	20 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side	
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm	
	Table Top Length +/- 10(mm)	1500.0	
Table Top Width +/-10(mm)		750.0	
	Table Height +/-5(mm)	760.0	

Specification	Specification Name	Bid Requirement (Allowed Values)
DIMENSION	Depth of Storage Unit +/- 10(mm)	575.0
	Width of Locker / Cupboard type Storage unit	350 mm
	Depth of Locker / Cupboard type Storage unit	600 mm
CERTIFICATION	ISI Marked	Yes
	Test reports to be furnished to buyer on demand	NO
	BIFMA certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	YES
WARANTEE	WARRANTY PERIOD IN NUMBER OF YEARS	3

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	V Sanu	500059,ICAR- CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE Santosh Nagar Saidabad Hyderabad	5	15

# Sofas ( 6 pieces )

# (Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type

**Registered Brand** 

**Technical Specifications** 

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic	Total Number of Seats in the Sofa Set (Nos)	3
	Number of Single Seater Units (Nos)	NO SINGLE SEATER UNIT
	Number of Two Seater Units (Nos)	NO TWO SEATER UNIT
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	NO FOUR SEATER UNITS
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	Νο
	Covering Material for Seat and Backrest	Leatherite
Material	Frame Structure Material and size (±1 mm)	Carved Teak wood of minimum 25 mm thickness, any other wood of minimum 25 mm thickness
	Seat Cusion Material	foam
	Type of Spring in the Base / Seating	No Spring in the Base
Dimension	Length of Single Seater Units in mm (±5 mm)	N.A
	Length of Two Seater Units in mm (±10 mm)	N.A
	Length of Three Seater Units in mm (±10 mm)	1950
	Length of Four Seater Units in mm (±10 mm)	N.A
	Depth of Sofa Units in mm (±10 mm)	950
	Sofa Height (Without Back Cushion) ±5 (mm)	650.0
	Sofa Height (With Back Cushion) ±5 mm	850.0
	Seat Cushion Length ±5 (mm)	1200
	Seat Cushion Width ±5 (mm)	NA
	Seat Cusion Thickness ±5 (mm)	200
	Backrest Cushion Length ±5 (mm)	1450
	Backrest Cushion Width ±5 (mm)	508

Specification		Spec	ification Name	Bi	d Requirement	(Allowed Values)
Warranty	Varranty WARRANTY PERIOD IN NUMBER OF YEARS		5			
	( <b>T</b>					
onsignee S.No.	Consigne	ng Officer a ee/Reporti Officer	nd Quantity Address		Quantity	Delivery Days
1	V Sanu		500059,ICAR- CENTR RESEARCH INSTITUTE DRYLAND AGRICULTU Santosh Nagar Saida Hyderabad	E FOR JRE	6	15
<b>finimum</b> Brand Type	50% Loca		equired for qualifyir Registere		1 Local Suppli	er)
	Specificat	ions / Specificatio	<u>n</u>			
Specifi	cation	Spec	ification Name	Bi	d Requirement	(Allowed Values)
GENERIC		Type of C	omputer Table	Computer	table with key b	oard drawer and table top
WARRANT	ſ	Warranty of years	period in number	1, 2, 3, 4,	5 Or higher	
Consignee	s/Reporti	ng Officor a	nd Quantity			

	S.No.	ng Officer	Address	Quantity	Delivery Days
1		V Sanu	500059,ICAR- CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE Santosh Nagar Saidabad Hyderabad	4	15

# **Buyer Added Bid Specific Terms and Conditions**

#### 1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

#### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

bidders/ seller must submit documents of OEM authorization certificate in case of reseller and OEM manufacturer certificate in case of manufacturer in the technical bid

bidders/ seller must quote the make or model of the offered item along with the technical bid

# Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

### ---Thank You---