

भाक्अनुप - केन्द्रीय बारानी कृषि अनुसन्धान संस्थान

ICAR - Central Research Institute for Dryland Agriculture

संतोषनगर, सेदाबाद -पोस्ट हेदराबाद ५००५९ Santoshnagar, Saidabad P.O. Hyderabad 500 059 040-24530161, 24530224 Fax: 040-24531802 http://www.icar-crida.res.in/ Email: store.crida@icar.gov.in

STITUTE FOR DO

F. No: 2-1/(19)/2019-20/SP

NOTICE INVITING TENDER

On behalf of the Director, ICAR-CRIDA invites **e-Tenders** under Two Bid System (Technical and Financial separately) for **Supply and Installation of AV aids/public address systems**

TERMS & CONDITIONS

- Submission: Only bids received on e-procurement portal will only be considered for opening. Manual bids shall not be accepted.
- Download of Tender Document: Tender Document with full details can be downloaded from CRIDA Website (http://www.icar-crida.res.in/) or the Government of India, Central Public Procurement Portal (http://www.eprocure.gov.in) and in such cases, participation in the tender will be subject to remittance of the prescribed Bid Security along with the Technical and financial Bids (BOQ).
- 3. Tender ID: Shall be notified on the website (http://www.icar-crida.res.in/)
- 4. Suppliers who desire to participate in such tenders in future may bring it to the notice of Procuring Entity and may register in CPPP through DSC
- 5. The bidders should have a valid registration of the firm with GOI/any state govt.
- 6. This institute will not be responsible for any delay in enrollment or submission of the offer/uploading the offer on above mentioned e-procurement portal for any reason whatsoever. Hence vendors are advised to register in the e-procurement website https://eprocure.gov.in & enroll their Digital Signature Certificate (Class II or above) and upload their quotations well in advance to avoid last minute problems.
- 7. Bid Security: Bid Security (also known as Earnest Money) is to be deposited by all the bidders except Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or registered with the Central Purchase Organization 25000/- (Rupees twenty five Thousand only) along with their bids. The bid security will be accepted in the form of Demand Draft, Fixed Deposit Receipt, Banker's cheque. The bid security is normally to remain valid for a period of forty-five days beyond the final bid validity period. Bid securities of the unsuccessful bidders shall be returned. Original EMD must be delivered to CRIDA on or before last date /time of bid submission without which the bids will not be considered.
- 8. **Performance Security:** The successful bidder is required to pay an amount equal to 10% of successful bid amount towards performance security deposit and the same will be released within one month from the date of expiry all contractual Obligations. No interest shall be paid on such Performance security deposit. Performance Security should remain valid for a period of sixty days beyond the date of completion of all contractual obligations. The Performance Security Deposit should be in the form of Demand Draft, Fixed Deposit Receipt, Banker's Cheque or Bank Guarantee from any of the Commercial Banks or payment online in an acceptable form and on which no interest will be paid.
- 9. **Delivery Schedule**: Unless otherwise specified, No 'part supply' is allowed. Specific mention should be made as to whether delivery will be from ready stock or will have to be imported / acquired and in the latter case the time required for delivery after purchase order is placed should be indicated clearly.
- 10. Payment: No advance payment is permissible. Payment will be made only after supply of equipment" is accepted by the indenter after successful, installation and commissioning of the equipment. Our normal payment terms are within 30 (thirty) days on receipt and acceptance of material at our site in good condition.
- Place of delivery: Supply is to be done at Central Research Institute of Dry Land Agriculture, Hyderabad, Telangana.
- Installation: Installation is to be done at Central Research Institute of Dry Land Agriculture, Hyderabad, Telangana.
- 13. **Shipment:** Supply is to be made securely packed at supplier's risk and transportation.
- 14. Attested copies of Document regarding registration /Certificate of incorporation of the firm issued by the appropriate government to be enclosed
- DSIR Certificate: This Institute is exempted from payment of Customs charges Vide Govt. of India, Ministry of Science and Technology, Dept. of Scientific and Industrial Research, vide Letter No. TU/V/RG-CDE (372)/2016, dated 18-10-2016 (Valid up to 31-08-2021).
- 16. Manufacturer's name and country of origin of materials offered must be clearly specified. Please quote whether your organization is large scale industry or small scale industry. If you have NSIC/MSME/MSI/DGS&D Certificate, please attach it to the quotation. Mention your registration details.
- 17. Make/brand of the item shall be stated wherever applicable.
- 18. **Price quote:** The price quoted should be in **INR** only inclusive of all taxes.

19. All supplies are subject to inspection and approval before acceptance. Manufacturer/ supplier warranty certificates and manufacturer/Government approved lab test certificate shall be furnished along with the supply, wherever applicable.

20. The Director of the institute reserves the right to modify the quantity specified in this enquiry. The prices quoted should be firm till the supplies are completed. Please quote the rates in words and figures. Rates quoted should be inclusive of all transportation, installation and commissioning of the supply and any other charges. Prices quoted for free delivery at destination will be given preference. If there is no indication regarding the FOR, in the quotation, then it will be considered as FOR destinations. Price quoted should be net and valid for a minimum **120 days** from the date of opening of the quotation.

21. No part supply is accepted. Guarantee/Warranty/Expiry period should clearly indicated

22. Payment of GST is primarily the responsibility of the seller and will not be paid unless the percentage value is clearly mentioned in the quotations. If no indication regarding CGST/SGST is recorded in the quotation, the CGST/SGST will be considered as included

23. Delivery period required for supplying the material should be invariably specified in the quotation.

Technical specification should be clearly indicated.

24. Acceptance of tender: Director, CRIDA reserves the right to accept or reject any/all of the tenders either in part or in full without assigning any reason thereof.

25. Specifications: Full specifications of the item quoted should be indicated in the tender along with illustrated pamphlets, drawings/technical broucher etc. wherever available. The supplier has to submit the compliance statement on the technical specifications in the prescribed format enclosed to this schedule.

26. **Service support and warranty:** The warranty requirement for this equipment shall be minimum of 12 months from date of satisfactory installation and commissioning. In the event of the equipment requiring any rectifications, the warranty will start from date of successful rectification.

27. If the deliveries are not maintained and due to that account Procuring Entity is forced to buy the material at your risk and cost from elsewhere, the loss or damage that may be sustained there by will be recovered

from the defaulting supplier.

- 28. In case your quotation is accepted and order is placed on you, the supply against the order should be made completely within the period stipulated in the order. The Government of India reserves the right to recover any loss sustained due to delayed delivery by way of penalty. Failure to supply the material within the stipulated period shall entitle Procuring Entity for the imposition of penalty without assigning any reasons @ 1/2% (half percent) of the total value of the item covered in order as penalty per day subject to a maximum of 5% (five percent) unless extension is obtained in writing from the office on valid ground before expiry of delivery period.
- 29. **Dispute clause:** Any dispute relating to the enquiry shall be subject to the jurisdiction of the court at Hyderabad only

30. Damaged items with missing accessories will not be accepted by this institute.

31. Any Supplier found to have cheated by supplying old items/equipments and defaulted in supplying store items even on extended time limit without reasonable grounds, will be liable for blacklisting besides imposition of penalty to the tune ICAR Unit may deem fit.

32. The tender document should invariably be filled in and duly signed by the authorized signatory by affixing the company/firm seal on every page of tender and the terms and conditions should strictly be followed before submitting the tender.

33. Quotation which does not conform to the above terms and conditions will not be considered. The Director, Central Research Institute for Dry land Agriculture, reserves the right to accept or reject any or all quotations without assigning any reasons thereof

34. The firm should give the complete information in technical bid whether the quoted amount in financial bid includes optional items are not.

Yours Sincerely

Stores and Purchase Office

CHECK LIST

Give page numbers to the tender document and all enclosures and also verify the following documents before submission of the tender in the sequence listed below, to avoid rejection or disqualification of your tender.

S.No.	List of the Documents to be Submitted with the Tender	Page No.	Yes/No
1.	The entire original tender document with seal and signature on each page		
2.	Bid Security copy.		
3.	Name of the firm, Full address with Post Box No. and Telephone No. if any: Attested copies of Document regarding firm registration /Certificate of incorporation of the firm issued by the appropriate government to be enclosed.		
4.	GST registration Certificate of the firm		
5.	Tender acceptance letter		
6.	Technical specifications for the quoted product/technical literature (brochure) of the product quoted		
7.	Compliance statement of the Technical Specifications of the equipment quoted		
8.	Satisfactory completion certificates/Attested copies of past Three years experience Of OEM for authorized sales /service of Supply and Installation of AV aids/public address systems		
9.	Document showing the firm/company's turnover per annum of minimum 2 financial years out of 2016-17, 2017-18 & 2018-19, Certified by the Chartered Accountant.		
10.	The firm should submit Income Tax returns of minimum 2 FY out of 2016-17, 2017-18 & 2018-19.	19	
11.	MSME/NSIC/SSI certificațes registered with NSIC (if applicable) to be enclosed		

Certified that the above information is correct and the firm is willing to accept all the terms and conditions of the tender document.

Signature and Seal	of the Bidder: _	
Business Address: _	<i>¥</i>	

Tender Acceptance Letter (To be filled by bidder on firm/Company Letter Head)

The Dire	ector Research Institute for Dry Land Agriculture
Tender	ceptance of Terms & Conditions of Tender. Reference No: f Tender/Work:
Dear Sir	
1.	I/ We have downloaded / obtained the tender document(s) for the above mentioned `Tender/Work' from the web site(s) as per your
	advertisement, given in the above mentioned website(s).
2.	I / We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No to (including all documents like annexure(s),schedule(s), etc.,), which will form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
3.	The corrigendum(s) issued from time to time by your department/ organizations related to this tender too have also been taken into consideration, while submitting this acceptance letter.
4.	I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / $corrigendum(s)$ in its totality / entirety.
5.	I / We do hereby declare that our firm/company has not been blacklisted /debarred by any Govt. Department/Public Sector undertaking.
6.	I / We certify that all information furnished by the our firm/company is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.
	į.

Yours Faithfully (Signature of the Bidder, with Official Seal)

5

Audio Visual Comprehensive Solution

Scope

Audio-visual comprehensive solution should be designed, installed/fixed and demonstrated with noise free voice and clear sound in the conference hall at ICAR-CRIDA office campus. It should be a user friendly, fully functional with High quality and ensures seamless integration between the devices. Necessary training should be provided for day-to-day operations. Regular maintenance service should be provided time to time

Details of Conference Hall

The conference hall size is approx. $11m \times 15m \times 3m$ (length x width x ceiling height). The dais is spread around 9 m along the width. Sitting tables are arranged in 6 columns and each column has 6 rows. Each table accommodates three seats. A total of 108 seats are available in the hall. It has e-Podium on the dais and projection system in the hall. The conference hall floor is covered with carpet including dais.

Requirement Summary

SI.No	Item	No. Units
1	Chairman Unit	2
2	Delegate Unit	32
3	Central Control Unit for whole system	1
4	Recorder and Monitoring loudspeaker	1
5	Sound Reinforcement System - loudspeaker	4
6	Sound Reinforcement System - Mixer amplifier	1
7	Rack	1
8	Network Switch	1
9	IGMPv3 snooping device	1
10	Rack mountable workstation	1
11	Required accessories and sufficient cables and any other required for installation and demonstration	

Technical Specifications

S. No.	Technical Description	No. of Units
1 & 2	Chairman Unit and Delegate Units	2 + 32
	The Discussion Device shall enable participants to take part in a	
	discussion by speaking into a microphone and listening to	
	proceedings on a loudspeaker. The device shall have the following	
	features and benefits.	
	Plug-and-play functionality.	
	Compact, attractive, ergonomic design, with LED indicator in the	
	Discussion Device and in head of microphone.	
	Choice of short or long fixed microphone with flexible stem.	
	Loudspeaker integrated into front of device.	
	Built-in headphone socket with output level control.	
	Automatic level reduction when microphone is activated	
	(configurable via web browser application of Control Unit): prevents	
	acoustic feedback from headphone to microphone.	
	Configurable as a participant or chairperson's device: changeable	
	microphone buttons and concealed slide switch at the bottom of	
	the device for configuration purposes.	
	GSM immunity.	
	The devices shall have the following user controls and indicators.	
	Microphone button.	
	Color-coded LED indicator above microphone button for showing	
	the status of the device:	
	- White ('Possible- To – Speak') shall indicate that the microphone	
	will be active immediately after pressing the microphone button.	
	- Green shall indicate that the participant has pressed the	
	microphone button and the request to speak has been added to the	
	waiting list. Green flashing shall indicate that the participant is first	
	in the waiting list, i.e. next in line to speak.	
	- Red shall indicate that the microphone is active.	
	Color-coded light-ring indicator in head of microphone: green shall	1/2
	indicate that a request-to-speak has been added to the waiting list;	
	green flashing shall indicate that the participant is first in the	
	waiting list; red shall indicate that the microphone is active.	
	Rotary thumbwheel on side of device for adjusting volume of	
	connected headphones.	
	The chairman unit has a separate microphone button and priority	
	button enable the user to function as the chairperson at a	
	conference or meeting. The chairperson's microphone shall be	
	activated when the priority button is pressed and held in. All	
	currently active participant microphones shall be muted, allowing	
	the chairperson to take control of the meeting. A chime shall be	
	sounded to announce that the chairperson is about to speak	
	Frequency response 200Hz-12.5kHz	
	Headphones load impedance >32ohms <1kohm	
	Loudspeaker nominal output 72Db SPL	
3	Central Control Unit for control of all microphones	1
J		1 -
	The Control Unit shall have the following features and benefits:	
	Plug-and-play functionality for quick and easy connection of	
	Discussion Devices.	
	Intuitive touch-buttons on the front panel for easy configuration	
	and operation purposes.	
	Intuitive LED indicators for clear and immediate feedback on the	
	system settings.	

	Web business southed it shall be usesible to use a male business.	
	Web browser control – it shall be possible to use a web browser	
	application to view and manage system settings.	
	System control for up to 80 Discussion Devices.	
	Hot swap of Discussion Devices, without having to power down the	
	system.	
	Plus/minus buttons and green LED indicators for setting the volume	
	range of all connected Discussion Devices.	
	Microphones-mode selection button and green LED indicators for	
	selecting one of the following microphone operating modes: 'open	
	mode', 'voice activation mode', and 'push to talk (PTT) mode'.	
	Number of Open Microphones (NOM) button and green LED	
	indicators for selecting the number of microphones that can be	
	activated at the same time. It shall be possible to select up to four	
	open microphones at the Control Unit.	
	Built-in digital recorder with internal memory and USB recording.	
	Built-in loudspeaker and headphone socket for listening to recorded	
	discussions before replaying them to the Floor, or listening to	
1 - 1-3	recordings.	
	Build-in Digital Acoustic Feedback Suppression (DAFS).	
	USB connector on front of unit for connecting a USB memory stick.	
	Gain reduction due to number of open microphones (NOM) 1/SQRT	
	(NOM)	
	Sample rate 44.1Khz	
	Nominal input (85 db SPL) <0.5%	
	Max. input (110 db SPL) <0.5%	
4	Recorder	1
	Recording/ Playback 64,96,128,256Kbit/sec	
	Recording/ Playback (sample frequency) 44.1kHz	
	Monitoring loudspeaker	
-	Nominal output 72dB SPL	
	Frequency response 200Hz-12.5kHz	
E	Sound Reinforcement System - loudspeaker	
5	30W premium-sound cabinet loudspeaker with high-fidelity music	4
	and speech reproduction, selectable 8 ohm, 70 V and 100 V inputs.	4
	- Safety acc. to EN 60065; Water and dust protection acc. to EN	
	60529 IP X4; Self extinguishing acc. to UL94 V 0	
	- Maximum power 45 W - Rated power 30 W	
	- Power tapping: 30/15/7.5/3.75 W	
	- Sound pressure level at rated power / 1 W (1 kHz, 1 m): 105/90 dB	
	- Effective frequency range (-10 dB): 100 Hz to 18.5 kHz	
	- Opening angle at 1 kHz / 4 kHz(-6 dB): 160° / 81° (hor.) 150° /	
	90° (ver.)	
6	Sound Reinforcement System - Mixer amplifier	1
0	4 mic/line inputs, music source input, single zone Mixer amplfier	т.
	with 120Watt RMS power, 100V Output, Individual Volume control,	
	Master Bass and Treble Control.	
	Mains power supply 230 VAC ± 10%, 50 Hz	
	Frequency response (Line) 80 Hz to 18 kHz (+1/-3 dB @ - 10 dB	
	ref. rated output)	
	Frequency response (Mic.) 80 Hz to 18 kHz (+1/ -3 dB @ - 10 dB	
	ref. rated output)	
	Distortion <1% @ rated output power, 1 kHz Mic./Line input 4 x	
	Input 1 (push-to-talk contact with priority) 5-pin Euro style,	
	balanced, phantom	
	balancea, phancoll	L

	•	
1	Input 2 3-pin XLR female, balanced, phantom Input 3 and 4 TRS Jack (1/4, 6.35 mm) balanced Sensitivity 1 mV (mic.); 200 to 300 mV (line) Impedance >1 kOhm (mic.); >5 kOhm (line) Loudspeaker output 4 ohm: 22 V (120 W); 100 V: 120W	
7	Rack	1
	19 "Equipment Rack, 36 Made of MS for housing of all above equipment, front lockable glass door, Fan tray fro colling, Caster wheel base, Main Panel with Spike Buster, Individual FUSE power supply unit, including all internal wiring/ interconnection as required	
8	Network Switch with 1 Gbit or higher with hardware switching capabilities	1
9	IGMPv3 snooping device	1
10	Rack-mountable Workstation (as per specifications) minimum 1 TB hard disk, 4GB RAM, i5 processor as per specification & approved make	1
11	Installation Accessories & Cables	_1515
	Supply, Installation, Testing & Commissioning of system	
	Required Extension cables	
	CAT 6 cable as per approved make and specification	
	PVC Conduit 25 mm including all accessories	
	Armoured speaker cable 1.5sqmm	
12	WARANTY DETAILS	

Conditions for selection:

- 1. The Bidder must provide authorisation letter from OEM/Principle maker for quoted brand
- 2. Bidder must provide details of latest experience in installation of such systems in minimum 3 institutes/organizations
- 3. All delegate mic should be installed in plug and play mode. All mics must work independently.