

CENTRAL RESEARCH INSTITUTE FOR DRYLAND AGRICULTURE (Indian Council of Agricultural Research) Santoshnagar :: Saidabad Post :: Hyderabad - 500 059 Phone No. 040-24530187(O), (FAX) 040-24531802 (EPABX) 040-24530161, 040-24530163



F.No. 8-2/[2]/2014/ST Date: 20th June, 2014

AUCTION NOTICE

Sub: Auction of Unserviceable Items - Regarding.

The open auction of unserviceable items on "AS IS WHERE IS BASIS" will be **held on** 21.06.2014 [Saturday] at 1430 hrs.

Sl.No.	Particulars	Approx. Weight / Quantity
01	Iron scrap items	200 Kg
02	Iron gates	800 Kg / 2 Nos.
03	Iron windows	200 Kg / 10 Nos.
04	Iron pipes	40 Nos.
05	Iron rusted water tanks	02 Nos.
06	Iron field boards	03 Nos.
07	Small broken iron poles	04 Nos.
08	Wooden broken doors	20 Nos.
09	Wooden shelves	03 Nos.
10	Glassware bottles	50 Nos.
11	Plastic broken buckets, water cintex tanks	10 Nos.

- 1. The **E.M.D.** for the entire lot is ₹ 2,000/-
- 2. Each participant in the auction will have to deposit the prescribed EMD amount in cash on the day of auction one hour before the commencement of auction. The successful bidder has to pay the full bid amount in cash on the estimated quantity of unserviceable items. The EMD in respect of successful bidders shall be refunded only after satisfactory completion of the lifting of the material within the stipulated time on return request of EMD enclosing in original receipt issued by this Institute for having received EMD.
- 3. No material should be lifted from other than those earmarked by the authorized staff at the office.
- 4. The material should be removed under the supervision of AAO or any other officer authorized by him and keeping them informed in advance.
- 5. All the charges for loading, transport and other incidentals are to be borned by the purchaser.
- 6. The decision of the Director, CRIDA, Hyderabad on any dispute in this regard will be final and legally binding.
- 7. In case, the successful bidder fails to lift the material within 24 hrs, the bid will stand cancelled and the EMD will be forfeited.